

Thursday, January 12, 2017 3:40:47 PM

Page 1

100		0.00			
100	BAND SAW				
Bandsaw	Memo	0.00			
Jeaspa Bandsaw	***INSPECT MATERIAL FOR DEFECTS BEFORE CUTTING***				
	Cut blank: (0.75" x 1.50") x 34.750" long Bar				
110		0.24			
110	HAAS CNC VERTICAL MACHINING #1				
HAAS 1	Memo	0.15			
HAAS CNC vertical machine #1	1-Machine D3196-4 as per Folio FA339 and Dwg D3196Identify as D3196-42-Debur				
120	QC2- Inspect parts off machine FAI/FAIB	0.00			
120					
QC	Memo	0.00			
Quality Control					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		FAULT CATEGORY Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER :							

Work Order ID 155354

Thursday, January 12, 2017 3:40:47 PM

155354

Page 2

Item ID: D3196-4 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Bar
 Start Date: 1/17/2017 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 1/20/2017 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.01				<u>6</u>	<u>0</u>		DAS 44 9-89 17-01-30
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.03				<u>(x6)</u>	<u>0</u>		2017/01/31 BEB
150 *150* Powdercoat Powder Coating	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3 <u>M 13-7 858.</u> Memo START TIME: <u>8:10</u> OVEN TEMPERATURE: <u>300°</u> FINISH TIME: <u>8:40.</u>	0.00 0.01				<u>6</u>	<u>0</u>	<u>1702-7.</u>	DAS 44 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 155354***155354***

Page 3

Thursday, January 12, 2017 3:40:47 PM

Item ID: D3196-4

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Bar

Start Date: 1/17/2017 Start Qty: 2.00

2

Cust Item ID:

Required Date: 1/20/2017 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.00

Quality Control

DAS

38

9-89

17-02-08

170

Identify as per dwg & Stock Location: St256

0.00

170

Packaging

Memo

0.00

Packaging

DAS

9-89

FEB 08 2017

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.03

Quality Control

17/2/9 98



FEB 09 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Picklist Print

Thursday, January 12, 2017 3:40:47 PM

Page 1

Work Order ID: 155354

155354

Parent Item: D3196-4

D3196-4

Parent Item Name: Bar

Start Date: 1/17/2017

Required Date: 1/20/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev: A New Issue 05-11-08 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X01.50 0		Purchased	No			100	f	41.9170	2.89	6.084211			

M6061T6B0 750X01 500

6061-T6 Bar .750 X 1.50

49
9.89

17/01/25

Location

Loc Qty

Loc Code

MAT

41.917

134284

0.52

m134984

0.7

m135247

0.697

m135780

40

17.39

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

DART AEROSPACE LTD		Work Order: 155359
Description: Bar		Part Number: D3196-4
Inspection Dwg: D3196	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
34.625	+/-0.010	34.625	/		tape	
33.650	+/-0.010	33.650	/		"	
16.639	+/-0.010	16.639	/		"	
0.488	+/-0.010	0.490	/		vern	mm-l-05
0.962	+/-0.005	0.960	/		"	
0.464	+/-0.010	0.461	/		"	
0.504	+/-0.010	0.501	/		"	
Ø0.344	+0.006/-0.001	0.343	/		"	
Ø0.660 x 100°	+0.008/-0.001 x 0.5°	0.663 x 100°	/		"	
0.512	+/-0.005	0.511	/		"	
0.060 x 45°	+/-0.010 x 0.5°	0.063 x 45°	/		"	
4.750	+/-0.010	4.750	/		"	
12.531	+/-0.010	12.531	/		Tape	
16.627	+/-0.010	16.627	/		"	
21.844	+/-0.010	21.844	/		"	
29.625	+/-0.010	29.625	/		"	
0.250	+/-0.010	0.251	/		vern	mm-l-05
1.000	+/-0.010	1.000	/		"	
R0.125	+/-0.010	0.125	/		RG	
0.987	+/-0.010	0.986	/		vern	mm-l-05
0.500	+/-0.010	0.496	/		micro	mm-l-01

9mmL
17/01/29


Measured by: DAS 49	Audited by: DAS 44	Preliminary Approval:
Date: 17/01/29	Date: 17-01-30	Date:

Rev	Date	Change	Revised by	Approved
A	04.04.20	New Issue	KJ/RF	
B	06.10.24	Dwg Rev updated	KJ/JLM	
C	11.06.21	Dwg Rev updated	KJ	

DART

DEO ATTACHED

RELEASED
06-10-31



D3196-4 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8) (REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 155354
17-01-13

DESIGN	APPROVED	DRAWING NO.	REV. C
06.10.31	PH	D3196	SHEET 3 OF 3
DATE	APPROVED	TITLE	SCALE
06.10.31	PH	BAR	1:5
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			

DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D3196-C-1	SHEET NO. SHEET 1 OF 2	SCALE NTS
DRAWN <i>ASS</i>	CHECKED <i>[Signature]</i>	MFG. APPR. <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DE APPR. <i>[Signature]</i>		
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04		


SHEET 1 MODIFY SLOT DIMENSIONING ON D3196-1 AS SHOWN:

IS:




D3196-1 BAR

WAS:




SHEET 2 MODIFY SLOT DIMENSIONING ON D3196-3 AS SHOWN:

IS:




D3196-3 BAR

WAS:




SHEET 3 MODIFY SLOT DIMENSIONING ON D3196-4 AS SHOWN:

IS:




D3196-4 BAR

WAS:




D3196-4 BAR


DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D3196-C-1	SHEET NO. SHEET 2 OF 2	SCALE NTS
DRAWN <i>ASS</i>	CHECKED <i>[Signature]</i>	MFG. APPR. <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DE APPR. <i>[Signature]</i>		
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04		




SECTION B-B




DETAIL A




SECTION D-D



DETAIL C



SECTION F-F



DETAIL E

NOTE: THIS CHANGE HAS BEEN DONE TO CLARIFY SLOT DIMENSIONS ONLY. NO CHANGES HAVE BEEN MADE TO THE PARTS
SEE NCR 08-051 FOR FURTHER INFORMATION
ALL OTHER INFORMATION REMAINS UNCHANGED

COPYRIGHT © 2003 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.